



ATTIMO



USER MANUAL

ATTIMO PROGRAMMING INSTRUCTIONS

MACHINES ARE APPROXIMATELY SET FOR 7OZ CUPS. TO ALTER WATER VOLUMES, INGREDIENT QUANTITIES OR WHIPPER MOTOR TIMES, FOLLOW THE PROCEDURE OUTLINED BELOW.

LEFT HAND CANISTER = COFFEE = LCD DISPLAY WATER START **1**, ETC

CENTRE CANISTER = CHOCOLATE = LCD DISPLAY WATER START **2**, ETC

RIGHT HAND CANISTER = CAPPUCCINO TOPPING = LCD DISPLAY WATER START **3**, ETC

- ENSURE MACHINE SWITCHED ON (ON/OFF SWITCH ON R/H SIDE PANEL).
- UNLOCK & OPEN FRONT DOOR
- FLICK PROGRAMMING SWITCH DOWN TO ACCESS MENU (SWITCH IN TOP LEFT HAND CORNER OF INSIDE OF DOOR PANEL). NB: SWITCH DOES NOT STAY DOWN IT WILL AUTOMATICALLY SPRING BACK UP.

TO SET DRINKS

i. PRESS DRINK BUTTON ON FRONT PANEL OF MACHINE FOR THE DRINK YOU ARE SETTING MEASURES FOR (EG: ESPRESSOCHOC). DISPLAY WILL READ **WATER START 1**. (THIS REFERS TO THE FIRST SOLENOID ON THE LEFT HAND CANISTER AND IS FOR THE COFFEE WATER QUANTITY).

THE FIGURES DISPLAYED ARE 1/100 OF A SECOND (IE: 011.0 = 110 1/100). THE DISPLAY WILL INCREMENT IN 0.2 1/100 WITH EACH PRESS OF THE **+** OR **-** BUTTON.

TO ALTER THE VOLUME OF WATER PRESS **SHIFT KEY** (STOP BUTTON ON FRONT PANEL OF MACHINE) AND HOLD WHILST YOU PRESS THE **PLUS +** (COFFEE POT BUTTON) OR **MINUS -** (WATER BUTTON). THIS WILL SET THE START TIME.

ii. TO SET THE STOP TIME. PRESS THE SAME DRINK BUTTON ON THE FRONT PANEL. DISPLAY WILL READ **WATER STOP 1**. (THIS REFERS TO THE STOP TIME FOR SOLENOID) THEN USE SHIFT BUTTON & **+** OR **-** BUTTON AS ABOVE TO ALTER TIME AS REQUIRED.

PRESS DRINK BUTTON AGAIN TO ALTER WHIPPER MOTOR (DISPLAY READS WHIPPER MOTOR START 1, ETC) AND AGAIN TO ALTER INGREDIENTS (DISPLAY READS INGREDIENT START 1, ETC).

NB: IF THE DRINK CONTAINS MORE THAN ONE INGREDIENT (EG: ESPRESSOCHOC USES COFFEE, CHOCOLATE & TOPPING) YOU WILL NEED TO PROGRAMME EACH INGREDIENT ACCORDINGLY.

TO SET THE OTHER INGREDIENTS PRESS **SHIFT & MENU** ON FRONT PANEL LCD WILL DISPLAY **WATER START 2** (THIS REFERS TO THE SECOND SOLENOID ON CENTRE CANISTER AND IS FOR THE CHOCOLATE WATER QUANTITY). ADJUST AS ABOVE **(i)**. PRESS DRINK BUTTON AGAIN TO DISPLAY **WATER STOP 2**.

SHIFT & MENU AGAIN WILL THEN DISPLAY **WATER START 3** (THIS REFERS TO THE THIRD SOLENOID ON THE RIGHT HAND CANISTER AND IS FOR THE CAPPUCCINO TOPPING WATER QUANTITY). ADJUST AS ABOVE **(i)**. PRESS DRINK BUTTON AGAIN TO DISPLAY **WATER STOP 3**.

TO DO A TEST DRINK PRESS **SHIFT & MENU** UNTIL DISPLAY READS **DRINK TEST**. PRESS BUTTON ON FRONT PANEL OF MACHINE FOR REQUIRED DRINK.

TO RETURN TO **WATER START** FOR FURTHER ADJUSTMENT, PRESS SHIFT & MENU AGAIN.

NB: WHEN PROGRAMMING YOU MUST ENSURE THAT THE CORRECT SEQUENCE FOR VALVES ENTERED IS FOLLOWED.

WATER START IS FIRST.

THEN WHIPPER MOTOR START - APPROX **0.2-0.4 AFTER** WATER START.

THEN INGREDIENTS START - APPROX **0.6 AFTER** WATER START.

INGREDIENTS MUST STOP **0.2-0.4 BEFORE** WATER STOP.

WATER MUST STOP AT LEAST **0.4 AFTER** INGREDIENTS STOP.

WHIPPER MOTOR MUST STOP **0.8 AFTER** WATER.

FAILURE TO OBSERVE THIS WILL MEAN AN EXCESS OF POWDER DISPENSED AND WILL CAUSE THE MIXING CHAMBERS TO BLOCK.

TO SET HOT WATER

PRESS **SHIFT** & **MENU** AND USE **WATER START 5**.

WATER START 4 ONLY APPLIES TO 4 CANISTER MACHINES.

TO EXIT MENU FLICK PROGRAMME SWITCH DOWN. DISPLAY WILL READ SELECT DRINK.

DRINK NAMES

TO ALTER DRINK NAMES ON THE LCD DISPLAY, HOLD **SHIFT** BUTTON ON FRONT PANEL AND FLICK PROGRAMME SWITCH DOWN. DISPLAY READS **DRINK NAME KEY**

PRESS DRINK BUTTON YOU WISH TO CHANGE. DISPLAY WILL SHOW KEY NO. & NAME OF DRINK (EG: ESPRESSOCHOC).

PRESS **SHIFT** AND **+** OR **-** TO SCROLL THROUGH NAMES. SELECT REQUIRED NAME AND FLICK PROGRAMME SWITCH DOWN.

TEMPERATURE

TO ALTER TEMPERATURE, HOLD **SHIFT** BUTTON AND FLICK PROGRAMME SWITCH DOWN. PRESS **SHIFT** AND **MENU** TO SCROLL THROUGH TO **TEMPERATURE**. USE **SHIFT** AND **+** OR **-** TO INCREASE/DECREASE ACCORDINGLY.

RETURN TO FACTORY SETTINGS

TO RETURN TO/DOWNLOAD THE PRESET FACTORY SETTINGS TURN MACHINE OFF (ON/OFF SWITCH ON R/H SIDE PANEL), HOLD **+** & **-** BUTTONS SIMULTANEOUSLY AND TURN MACHINE BACK ON. HOLD BUTTONS UNTIL DISPLAY READS **PRESET DATA**

RELEASE BUTTONS AND WAIT UNTIL DISPLAY READS **SELECT DRINK**.


MACHINE IS NOW READY TO USE.

CLEANING

CLEANING INSTRUCTIONS ARE AS PER SEPARATE SECTION IN THIS MANUAL AND ARE ALSO ON THE INSIDE OF THE FRONT PANEL OF THE MACHINE.

PLEASE ENSURE THESE ARE FOLLOWED CAREFULLY AND AS RECOMMENDED.

FILLING THE CANISTERS



CANISTER 1 = COFFEE

CANISTER 2 = CHOCOLATE

CANISTER 3 = CAPPUCCINO TOPPING

(i) ELBOW

- REMOVE THE CANISTERS

NB: BEFORE REMOVING EACH CANISTER TURN THE ELBOW (i) 180 DEGREES TO PREVENT INGREDIENT SPILLAGE INTO THE WHIPPER BOWLS.

- FILL THE CANISTER LEAVING A GAP OF AT LEAST **2CM** BETWEEN THE LEVEL OF THE INGREDIENT AND THE CANISTER LID.
- REPLACE EACH CANISTER CAREFULLY REMEMBERING TO TURN THE ELBOW BACK 180 DEGREES TO THE ORIGINAL POSITION.
- RUN CLEANING CYCLE TO RINSE WHIPPER BOWLS BY PRESSING **STOP** BUTTON AND HOLDING FOR 5 SECONDS.

PLEASE ENSURE THAT THE CANISTERS ARE COMPLETELY DRY BEFORE FILLING WITH INGREDIENTS.

USING THE MACHINE

ENSURE THE CANISTERS ARE IN PLACE AND HAVE INGREDIENTS IN THEM BEFORE MAKING DRINKS.

- SWITCH THE MACHINE ON AT THE ON/OFF SWITCH.
- THE DISPLAY WILL READ "PLEASE WAIT".
- ONCE THE MACHINE HAS REACHED TEMPERATURE THE DISPLAY WILL READ "SELECT DRINK".
- PLACE THE CUP ON THE INDENT IN THE DRIP TRAY.
- SELECT DRINK BY PRESSING THE RELEVANT BUTTON (eg: CAPPUCCINO, ESPRESSOCHOC)

NB: MACHINE IS FACTORY SET FOR 7OZ CUPS.

PLEASE SEE PROGRAMMING INSTRUCTIONS IN THIS MANUAL IF YOU NEED TO CHANGE SETTINGS.

- TO ABORT AT ANY POINT AFTER DRINK SELECTION HAS BEEN MADE PRESS **STOP**.

ATTIMO CLEANING PROCEDURE

REGULAR CLEANING OF THE MACHINE IS ESSENTIAL TO MAINTAIN A HIGH DRINK QUALITY AND ABOVE ALL A HYGIENIC OPERATING CONDITION. IT IS THEREFORE RECOMMENDED TO ADOPT THE FOLLOWING PROCEDURES.

DAILY.

- WIPE OFF ANY BEARDING FROM THE CANISTERS, CLEAN THE DISPENSE AREA, EMPTY THE DRIP TRAY AND ENSURE THAT THE INGREDIENT LEVELS ARE ADEQUATE.
- TURN THE MACHINE OFF USING THE ON/OFF SWITCH LOCATED ON THE RIGHT HAND SIDE OF THE MACHINE.
- WIPE THE MACHINE DOWN USING A DAMP CLOTH ENSURING THE MEMBRANE SWITCH PANEL AND DISPLAY ARE NOT SOAKED WITH WATER OR DETERGENT. USE A SOFT DRY CLOTH TO DRY THE MACHINE. TURN THE MACHINE BACK ON AND PERFORM A CLEAN CYCLE AS DETAILED BELOW.

CLEAN CYCLE.

- EMPTY THE DRIP TRAY.
- PRESS AND HOLD THE STOP BUTTON FOR 5 SECONDS. THE DISPLAY WILL READ **CLEANING** DURING THIS CYCLE. WHEN COMPLETED THE MACHINE WILL AUTOMATICALLY RETURN TO **SELECT DRINK**.

WEEKLY

- SWITCH MACHINE OFF.
- TURN ELBOWS ON CANISTERS 180 DEGREES TO PREVENT SPILLAGE OF INGREDIENT INTO WHIPPER BOWLS THEN REMOVE CANISTERS.
- REMOVE WHIPPER BOWLS BY PUSHING LOCKING RING ANTI-CLOCKWISE. REMOVE STEAM TRAPS, DISPENSE TUBES AND IMPELLORS. SOAK ALL PARTS IN A HOT SOLUTION OF SANITISER. WIPE THE ENTIRE DISPENSE AREA WITH SANITISER SOLUTION AND CLEAN THE REST OF THE MACHINE.
- DRY AND REFIT ALL THE COMPONENTS REMEMBERING TO FIT THE STEAM TRAP SEALS.
- PERFORM A CLEAN CYCLE TO ENSURE NO SANITISER REMAINS.

THIS CAN BE REPEATED MORE FREQUENTLY ON HIGH VOLUME SITES.

MONTHLY

REPEAT ABOVE PROCEDURE BUT IN ADDITION, EMPTY THE CANISTERS OF INGREDIENT, WASH AND DRY THOROUGHLY BEFORE REFILLING.

REMEMBER A CLEAN MACHINE MAKES BETTER DRINKS AND LASTS LONGER.

WARNING

Water Being Dispensed Is Hot

Please ensure great care is taken
when handling drinks to avoid scalding

FRACINO COFFEE MACHINES

WARRANTY TERMS & CONDITIONS

- 1) **FRACINO** CAPPUCCINO COFFEE MACHINES ARE GUARANTEED TO BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP DURING MANUFACTURE FOR A PERIOD OF 12 MONTHS FROM THE INITIAL INSTALLATION.
- 2) LIABILITY UNDER THE WARRANTY IS LIMITED AT THE OPTION OF THE MANUFACTURER TO THE REPLACEMENT OR REPAIR , FREE OF CHARGE, OF SUCH PARTS AS SHALL BE ACKNOWLEDGED AFTER MANUFACTURERS INSPECTION TO BE DEFECTIVE IN MATERIAL OR WORKMANSHIP, PROVIDED THAT ANY SUCH CLAIMS UNDER THIS WARRANTY ARE NOTIFIED TO THE MANUFACTURER WITHOUT DELAY. ALL PARTS RECOGNISED AS DEFECTIVE SHALL BECOME THE PROPERTY OF THE MANUFACTURER.
- 3) EXCEPT INsofar AS ANY INJURY, DAMAGE OR LOSS IS CAUSED BY THE NEGLIGENCE OF THE MANUFACTURER OR ITS EMPLOYEES AND INsofar AS EXCLUSION IS NOT PROHIBITED OR NEGATIVED BY LAW THIS WARRANTY IS IN SUBSTITUTION FOR ANY EXPRESS OR IMPLIED GUARANTEE, REPRESENTATION WARRANTY OR CONDITION AND THE MANUFACTURER SHALL NOT BE LIABLE FOR ANY INJURY, DAMAGE OR LOSS DIRECTLY OR INDIRECTLY ATTRIBUTED TO ANY OR DONE IN CONNECTION HEREWITH.
- 4) THE UNEXPIRED PART OF THIS WARRANTY MAY BE TRANSFERRED TO ANOTHER OWNER PROVIDING THE MACHINE HAS BEEN SERVICED AND MAINTAINED BY THE MANUFACTURER OR MANUFACTURERS AUTHORISED SERVICE AGENT AS PRESCRIBED AND REMAINS IN THE SAME LOCATION .
- 5) THE WARRANTY SHALL CEASE IMMEDIATELY IF:
 - a) THE MACHINE IS MODIFIED OR ADDED TO IN ANY WAY NOT PREVIOUSLY AGREED WITH THE MANUFACTURER IN WRITING.
 - b) THE INSTRUCTIONS CONTAINED IN THE OPERATORS MANUAL ARE NOT COMPLIED WITH.
 - c) THE MACHINE IS INSTALLED SERVICED , RELOCATED OR MAINTAINED BY ANYBODY OTHER THAN THE MANUFACTURER OR MANUFACTURERS AUTHORISED SERVICE AGENT.
- 6) THE WARRANTY DOES NOT COVER ITEMS THAT REQUIRE REPLACEMENT IN THE COURSE OF MAINTENANCE OR AS A RESULT OF FAIR WEAR & TEAR. NOR DOES IT COVER LIMESCALE RELATED FAULTS.
- 7) **KINDLY OBSERVE THE FOLLOWING IN YOUR BEST INTERESTS:**
 - a) WE RECOMMEND USING ONLY **FRACINO** ORIGINAL PARTS EXPLICITLY APPROVED BY THE MANUFACTURER. THESE PARTS HAVE BEEN SELECTED FOR THEIR RELIABILITY AND SUITABILITY FOR **FRACINO** MACHINES.
 - b) WE ARE UNABLE TO MAKE ASSESSMENTS FOR OTHER PRODUCT PARTS AND THEREFORE CANNOT BE HELD RESPONSIBLE FOR THEM, EVEN IF IN INDIVIDUAL CASES AN OFFICAL APPROVAL OR AUTHORISATION BY GOVERNMENTAL OR APPROVAL AGENCIES EXIST.
 - c) **FRACINO** ORIGINAL PARTS AS APPROVED CAN BE OBTAINED FROM THE FACTORY. COMPREHENSIVE ASSISTANCE AND ADVICE ON MAINTAINING YOUR MACHINE AT ITS OPTIMUM LEVEL CAN BE OBTAINED FROM **FRACINO**.
- 8) WE AT **FRACINO** WISH YOU MANY YEARS OF SATISFACTION WITH YOUR NEW CAPPUCCINO COFFEE MACHINE. PLEASE KEEP THIS WARRANTY AND OPERATOR INSTRUCTIONS IN A SAFE PLACE ONCE YOU HAVE READ THE IMPORTANT INFORMATION CONTAINED HEREIN.

ITEMS NOT COVERED BY WARRANTY

- 1) **LIME SCALE** - ANY CALLS TO BREAKDOWNS CAUSED BY SCALE RELATED FAULTS.
- 2) **MISUSE/BREAKAGES** - ANY CALLS BEING MADE AS A RESULT OF ACCIDENT, NEGLIGENCE OR OPERATOR MALPRACTICE, AND ANY OTHER CALLS FOR, OR AS A RESULT OF EQUIPMENT RELOCATION. **NB:** THIS ALSO APPLIES TO OVERTIGHTENED STEAM & WATER VALVE HANDLES.
- 3) **COFFEE VOLUMES** - ANY CALLS TO ALTER THE PROGRAMMING OF COFFEE VOLUMES AFTER INITIAL INSTALLATION.
- 4) **BLOCKED WASTE** - ANY CALLS DUE TO THE WASTE PIPE BEING BLOCKED. THIS IS GENERALLY CAUSED BY GROUTS BEING FLUSHED THROUGH THE DRIP TRAY OR POOR PLUMBING.
- 5) **BLOCKED STEAMER** - ANY CALLS, FOR "NO STEAM" CAUSED BY THE OUTLET HOLES ON THE STEAMER NOT BEING CLEANED.
- 6) **BLOCKED GROUPS** - ANY CALLS TO "NO WATER/COFFEE COMING THROUGH GROUP" CAUSED BY THE GROUPS NOT BEING CLEANED.
- 7) **BLOCKED RAPIDO** - ANY CALLS TO RAPIDO FROTHER "NOT FROTHING" CAUSED BY RAPIDO NOT BEING CLEANED.
- 8) **MILK NOT FROTHING** - ANY CALLS RELATED TO "MILK NOT FROTHING" CAUSED BY STALE MILK OR MILK WITH HIGH PROTEIN CONTENT.
- 9) **GRINDERS** - THE REPLACEMENT OF THE GRINDING BLADES. ANY CALLS TO RESET PORTIONING OR COFFEE GRIND OR TO JAMMED/OBSTRUCTED BLADES.
- 10) **WATER TREATMENT** - ANY CALLS TO REPLACE A WATER TREATMENT UNIT (DSU).
- 11) **KNOCKOUT DRAWERS** - ANY CALLS TO REPAIR JAMMED OR BROKEN RUNNERS AS A RESULT OF NEGLIGENCE, MALPRACTICE OR MISUSE BY THE OPERATOR.
- 12) **TRAINING** - IF THE EQUIPMENT IS PURCHASED WITH FRACINO INSTALLATION, TRAINING & WARRANTY PACKAGE, TRAINING ON USE AND DAILY MAINTENANCE OF THE EQUIPMENT IS GIVEN AT THE TIME OF INSTALLATION. ANY CALLS FOR FURTHER TRAINING OR FOR TRAINING ON A DAY OTHER THAN THAT OF INSTALLATION WILL BE FULLY CHARGEABLE.